

| L Number | Hits    | Search Text  | DB  | Time stamp          |
|----------|---------|--|---|---------------------|
| 5        | 5661    | (((low adj power) or standby or sleep or second\$3) and subsystem).clm.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>08:51 |
| 6        | 2127    | (((low adj power) or standby or sleep or second\$3) and subsystem).clm. )<br>and g06f\$.ipc.                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>08:51 |
| 7        | 1785747 | (((low adj power) or standby or sleep or second\$3) near\$2 subsystem).clm.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>08:52 |
| 8        | 709     | (((low adj power) or standby or sleep or second\$3) near subsystem).clm.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:08 |
| 9        | 286     | (((low adj power) or standby or sleep or second\$3) near subsystem).clm. )<br>and g06f\$.ipc.                            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:08 |
| 10       | 341     | (((low adj power) or standby or sleep or second\$3) near subsystem).ab.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:10 |
| 11       | 116     | (((low adj power) or standby or sleep or second\$3) near subsystem).ab. )<br>and g06f\$.ipc.                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:10 |
| 12       | 18112   | (((low adj power) or standby or sleep or second\$3) near (subsystem or<br>mode)).ab.                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:11 |
| 13       | 2932    | (((low adj power) or standby or sleep or second\$3) near (subsystem or<br>mode)).ab. ) and g06f\$.ipc.                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:12 |
| 14       | 116     | (((low adj power) or standby or sleep or second\$3) near (subsystem or<br>mode)) with independent).ab.                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:21 |
| 15       | 32      | (((low adj power) or standby or sleep or second\$3) near (subsystem or<br>mode)) with independent).ab. ) and g06f\$.ipc. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:22 |
| 16       | 99      | (((low adj power) or standby or sleep or second\$3) adj (subsystem or<br>mode)) with independent).ab.                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:22 |
| 17       | 26      | (((low adj power) or standby or sleep or second\$3) adj (subsystem or<br>mode)) with independent).ab. ) and g06f\$.ipc.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:23 |

|    |         |  |   |                     |
|----|---------|--|---|---------------------|
| 18 | 14881   | (((low adj power) or standby or sleep or second\$3) adj (subsystem or mode))).ab.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:29 |
| 19 | 2498    | (((low adj power) or standby or sleep or second\$3) adj (subsystem or mode))).ab. ) and g06f\$.ipc.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>12:54 |
| 22 | 24      | (((low adj power) or standby or sleep or second\$3) adj (subsystem or mode))).ab. ) and g06f\$.ipc.) and on and off                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>09:58 |
| 23 | 69      | (((low adj power) or standby or sleep or second\$3) adj (subsystem or mode))).ab. ) and g06f\$.ipc.) and (processor with off)                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>12:55 |
| 25 | 112     | (((low adj power) or standby or sleep or second\$3) adj (subsystem or mode))).ab. ) and g06f\$.ipc.) and (process\$3 with (shut or transition\$3)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>12:37 |
| 28 | 28      | (((low adj power) or standby or sleep or second\$3) adj (subsystem or mode))).ab. ) and g06f\$.ipc.) and (process\$3 with inactive)                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>12:37 |
| 29 | 2932    | (((low adj power) or standby or sleep or second\$3) near (subsystem or mode))).ab. ) and g06f\$.ipc.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>12:54 |
| 30 | 76      | (((low adj power) or standby or sleep or second\$3) near (subsystem or mode))).ab. ) and g06f\$.ipc.) and (processor with off)                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>13:06 |
| 31 | 16      | (((low adj power) or standby or sleep or second\$3) near (subsystem or mode))).ab. ) and g06f\$.ipc.) and (processor with inactive)                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>13:09 |
| -  | 9232863 | (low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>08:39 |
| -  | 7538    | (sleep or slow) adj mode   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>09:35 |
| -  | 42592   | ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>09:37 |
| -  | 1743    | ((sleep or slow) adj mode) and g06f\$.ipc.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>09:37 |
| -  | 5723    | (((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and g06f\$.ipc.                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>09:38 |

|   |        |   |   |                     |
|---|--------|---|---|---------------------|
| - | 8856   | ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and ((data\$1base or memory or ram or rom) same (synch\$ or access))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>09:40 |
| - | 2677   | ((sleep or slow) adj mode) and ((data\$1base or memory or ram or rom) same (synch\$ or access))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>14:40 |
| - | 3088   | ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and ((data\$1base or memory or ram or rom) same (synch\$ or access)) ) and g06f\$.ipc.                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>09:40 |
| - | 879    | ((sleep or slow) adj mode) and ((data\$1base or memory or ram or rom) same (synch\$ or access)) ) and g06f\$.ipc.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>09:41 |
| - | 302    | ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and ((data\$1base or memory or ram or rom) same (synch\$ or access)) ) and g06f\$.ipc.) and wireless and network | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>09:41 |
| - | 187    | ((sleep or slow) adj mode) and ((data\$1base or memory or ram or rom) same (synch\$ or access)) ) and g06f\$.ipc.) and wireless and network   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>09:41 |
| - | 421    | ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and g06f\$.ipc.) and wireless and network  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>13:28 |
| - | 243    | ((sleep or slow) adj mode) and g06f\$.ipc.) and wireless and network  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>12:33 |
| - | 100    | ((sleep or slow) adj mode) and g06f\$.ipc.) and multi\$1media   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>12:34 |
| - | 349    | ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and g06f\$.ipc.) and multi\$1media   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:04 |
| - | 48     | ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and g06f\$.ipc.) and (multi\$1media same data\$base)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>14:33 |
| - | 355438 | (mini\$5 near\$2 (screen or display)) and g06f\$.ipc.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>14:34 |
| - | 32549  | ((mini\$5 near\$2 (screen or display)) and g06f\$.ipc.) and (laptop or portable)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>14:35 |
| - | 15335  | ((mini\$5 near\$2 (screen or display)) and g06f\$.ipc.) and (laptop or portable)) and ((sleep or slow) near\$2 mode)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>14:36 |

|   |         |   |   |                     |
|---|---------|---|---|---------------------|
| - | 971     | ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and ( (((mini\$5 near\$2 (screen or display)) and g06f\$.ipc.) and (laptop or portable)) and ((sleep or slow) near\$2 mode))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>14:39 |
| - | 701     | ((data\$1base or memory or ram or rom) same (synch\$ or access)) and (((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and ( (((mini\$5 near\$2 (screen or display)) and g06f\$.ipc.) and (laptop or portable)) and ((sleep or slow) near\$2 mode)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>14:49 |
| - | 73      | ((data\$1base or memory or ram or rom) same (synch\$ or access)) and (((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and ( (((mini\$5 near\$2 (screen or display)) and g06f\$.ipc.) and (laptop or portable)) and ((sleep or slow) near\$2 mode)))) and multi\$1processor                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>15:09 |
| - | 85      | ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)) adj mode) and ( (((mini\$5 near\$2 (screen or display)) and g06f\$.ipc.) and (laptop or portable)) and ((sleep or slow) near\$2 mode))) and multi\$1processor  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>15:12 |
| - | 1214    | ( (((mini\$5 near\$2 (screen or display)) and g06f\$.ipc.) and (laptop or portable)) and ((sleep or slow) near\$2 mode)) and multi\$1processor  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/22<br>15:12 |
| - | 19652   | (sleep or slow or standby) adj mode   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>10:05 |
| - | 9237056 | (low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:05 |
| - | 9238619 | ((sleep or slow or standby) adj mode) or ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:09 |
| - | 370438  | ((sleep or slow or standby) adj mode) or ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4))) and g06f\$.ipc.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:58 |
| - | 358937  | (data\$1base or memory or ram or rom) same (synch\$ or access)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:20 |
| - | 51742   | (multi or sub or dual or embed\$3 or second\$3) adj (processor or system)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>11:06 |
| - | 10535   | ((data\$1base or memory or ram or rom) same (synch\$ or access)) and (((sleep or slow or standby) adj mode) or ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4))) and g06f\$.ipc.) and ((multi or sub or dual or embed\$3 or second\$3) adj (processor or system)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:23 |
| - | 396     | ((data\$1base or memory or ram or rom) same (synch\$ or access)) and (((sleep or slow or standby) adj mode) or ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4))) and g06f\$.ipc.) and ((multi or sub or dual or embed\$3 or second\$3) adj (processor or system)))) and wireless and network) and multi\$1media | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:24 |

|   |         |  |   |                     |
|---|---------|--|---|---------------------|
| - | 277     | (((((data\$1base or memory or ram or rom) same (synch\$ or access)) and (((((sleep or slow or standby) adj mode) or ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4))) and gO6f\$.ipc.) and ((multi or sub or dual or embed\$3 or second\$3) adj (processor or system)))) and (mobile or portable)) and wireless and network) and multi\$1media | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:25 |
| - | 510     | (((((data\$1base or memory or ram or rom) same (synch\$ or access)) and (((((sleep or slow or standby) adj mode) or ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4))) and gO6f\$.ipc.) and ((multi or sub or dual or embed\$3 or second\$3) adj (processor or system)))) and (mobile or portable)) and multi\$1media                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:29 |
| - | 892     | (((((data\$1base or memory or ram or rom) same (synch\$ or access)) and (((((sleep or slow or standby) adj mode) or ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4))) and gO6f\$.ipc.) and ((multi or sub or dual or embed\$3 or second\$3) adj (processor or system)))) and (mobile or portable)) and wireless and network                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:30 |
| - | 2159    | (((((data\$1base or memory or ram or rom) same (synch\$ or access)) and (((((sleep or slow or standby) adj mode) or ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4))) and gO6f\$.ipc.) and ((multi or sub or dual or embed\$3 or second\$3) adj (processor or system)))) and (mobile or portable)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:32 |
| - | 1529    | (((((data\$1base or memory or ram or rom) same (synch\$ or access)) and (((((sleep or slow or standby) adj mode) or ((low or conserve or small or little or second\$3) near\$2 (power or energy or watt\$4))) and gO6f\$.ipc.) and ((multi or sub or dual or embed\$3 or second\$3) adj (processor or system)))) and wireless and network  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>09:34 |
| - | 1261    | ((sleep or slow or standby) adj mode).ti.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/24<br>08:41 |
| - | 1261    | 1.ti.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>11:04 |
| - | 1298586 | 2.ti.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>11:07 |
| - | 5024    | ((multi or sub or dual or embed\$3 or second\$3) adj (processor or system)).ti.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>11:08 |
| - | 1299372 | 1.ti. or 2.ti.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>11:09 |
| - | 834     | (1.ti. or 2.ti.) and (((multi or sub or dual or embed\$3 or second\$3) adj (processor or system)).ti.)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23 11:11    |
| - | 381     | ((1.ti. or 2.ti.) and (((multi or sub or dual or embed\$3 or second\$3) adj (processor or system)).ti.)) and gO6f\$.ipc.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23 11:12    |
| - | 1       | (embedded and subsystem and (notebook or laptop)).ab.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>12:36 |

|   |        |   |   |                     |
|---|--------|---|---|---------------------|
| - | 4      | (low and power and subsystem and (notebook or laptop)).ab.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>12:36 |
| - | 4      | (independent and sub\$system and mode).ti.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>14:26 |
| - | 149    | (independent and sub\$system and mode).ab.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>14:28 |
| - | 74     | ((independent and sub\$system and mode).ab.) and g06f\$.ipc.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>15:38 |
| - | 50942  | ((independent or embedded) and system and (low or sleep or standby or second\$3)).ab.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>15:43 |
| - | 9347   | ((independent or embedded) and system and (low or sleep or standby or second\$3)).ab.) and g06f\$.ipc.                                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>15:41 |
| - | 851    | ((independent or embedded) and system and (low or sleep or standby or second\$3)).ab.) and g06f\$.ipc.) and mode                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>15:42 |
| - | 63230  | ((independent or embedded) and system and ((low or sleep or standby or second\$3) near\$3 mode)).ab.                                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>15:50 |
| - | 12318  | ((independent or embedded) and system and ((low or sleep or standby or second\$3) near\$3 mode)).ab.) and g06f\$.ipc.                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>15:44 |
| - | 63338  | ((independent or embedded) and \$3system and ((low or sleep or standby or second\$3) near\$3 mode)).ab.                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>15:52 |
| - | 326611 | ((independent or embedded) and \$3system).ab.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>15:52 |
| - | 73438  | ((independent or embedded) and \$3system).ab.) and ((low or sleep or standby or second\$3) near\$3 mode)                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>15:53 |
| - | 14966  | ((independent or embedded) and \$3system).ab.) and ((low or sleep or standby or second\$3) near\$3 mode)) and g06f\$.ipc.                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>15:54 |
| - | 69     | ((independent or embedded) and \$3system).ab.) and ((low or sleep or standby or second\$3) near\$3 mode)) and g06f\$.ipc.) and on and off | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/23<br>16:20 |